

MAY 20 2004

K040524

Premarket Notification 510(k)

Porta Solder 1090 W

**5. 510 (k) Summary**

Submitter of 510(k): Wieland Dental + Technik GmbH & Co. KG  
Schwenninger Str. 13  
D-75179 Pforzheim  
Germany  
Phone: +49-7231-3705-0

Contact person: Dr. Gerhard Polzer  
Phone: +49-7231-3705-219  
Fax: +49-7231-357959  
e-mail: gerhard.polzer@wieland-dental.de

Date of Summary: 2004-02-18

Trade name: PORTA SOLDER 1090 W

Classification name: Alloy, gold based, for clinical use  
Product code: EJT  
C.D.R section: 872.3060  
Classification: Class II

Legally marketed  
equivalent device: Argosol-WSF  
510(k) number: K 942505

**Device description**

Porta Solder 1090 W is a dental brazing alloy, that can be used by dental technicians to fabricate dental appliances for patients. It is a white alloy with high contents of precious metals (Gold, Palladium, Iridium and Silver: 95,5%).

Porta Solder 1090 W is suitable for use as a filler material in operations in which dental alloy(s) parts are joined to form a dental restoration, e.g. bridges.

It is intended as solder before firing for ceramic dental alloys with appropriate melting ranges and compositions, especially Euro 50, which is manufactured by Wieland Dental + Technik GmbH & Co. KG, Germany.

Porta Solder 1090 W is highly corrosion resistant. It fully complies to the international standard ISO 9333 and fulfills the essential requirements of the European directive 93/42/ECC concerning medical devices.



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

MAY 20 2004

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Dr. Gerhard Polzer  
Regulatory Affairs  
Wieland Dental + Technik GmbH & Company KG  
Schwenninger Strabe 13  
D-75179 Pforzheim  
GERMANY

Re: K040524  
Trade/Device Name: Porta Solder 1090 W  
Regulation Number: 872.3060  
Regulation Name: Gold-Based Alloys and Precious Metal Alloys for Clinical Use  
Regulatory Class: II  
Product Code: EJT  
Dated: February 16, 2004  
Received: March 1, 2004

Dear Dr. Polzer:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4613. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

510(k) Number (if known): \_\_\_\_\_

Device Name: Porta Solder 1090 W

Indications For Use:

Porta Solder 1090 W is intended for use as a solder before firing in operations in which dental ceramic alloy(s) parts are joined to form a dental restoration.

It should be used only together with recommended dental alloys with suitable melting ranges and compositions.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Saeed Rana

(Division Sign-Off)  
Division of Anesthesiology, General Hospital,  
Infection Control, Dental Devices

(Optional Format 3-10-98)

510(k) Number: K040524

Prescription Use ✓  
(Per 21 CFR 801.109)